

### HORIZONTAL DUCTED CONDENSING UNIT MHDC- A SERIES

HEATPUMP MODEL		OUTDOOR UNIT		MHDC 020AR	MHDC 025AR	MHDC 030AR
OUTDOOR UNIT	COMPRESSOR POWER SOURCE		V/Ph/Hz	220 - 240 / 1 / 50		
	DIMENSION		HEIGHT	436 / 17.2		
			WIDTH	1240 / 48.8		
			DEPTH	586 / 23.1		

### WALL MOUNTED MWM-G WITH MHDC- A SERIES

HEATPUMP MODEL		INDOOR UNIT		MWM 020GR	MWM 025GR	MWM 030FR
		OUTDOOR UNIT		MHDC 020AR	MHDC 025AR	MHDC 030AR
NOMINAL COOLING CAPACITY		Btu/h		19000	24000	26000
		W		5569	7034	7620
NOMINAL HEATING CAPACITY		Btu/h		20000	25000	28000
		W		5862	7327	8206
COOLING ONLY MODEL		INDOOR UNIT		MWM 020G	MWM 025G	MWM 301R
		OUTDOOR UNIT		MHDC 020A	MHDC 025A	MHDC 030A
NOMINAL COOLING CAPACITY		Btu/h		19000	24000	26000
		W		5569	7034	7620

### CEILING CONVERTIBLE MCM-D SERIES WITH MHDC-A SERIES

HEATPUMP MODEL		INDOOR UNIT		MCM 020DR	MCM 025DR	MCM 030DR
		OUTDOOR UNIT		MHDC 020AR	MHDC 025AR	MHDC 030AR
NOMINAL COOLING CAPACITY		Btu/h		19700	23600	27000
		W		5774	6917	7913
NOMINAL HEATING CAPACITY		Btu/h		20600	25500	28500
		W		6038	7474	8353
COOLING ONLY MODEL		INDOOR UNIT		MCM 020D	MCM 025D	MCM 030D
		OUTDOOR UNIT		MHDC 020A	MHDC 025A	MHDC 030A
NOMINAL COOLING CAPACITY		Btu/h		19700	23600	27000
		W		5774	6917	7913

### HORIZONTAL DUCTED CONDENSING UNIT M5HDC-AR SERIES - R410A

OUTDOOR UNIT			M5HDC 020AR	M5HDC 025AR
UNIT DIMENSION	HEIGHT	mm/in	436 / 17.2	
	WIDTH	mm/in	1240 / 48.8	
	DEPTH	mm/in	586 / 23.1	

### WALL MOUNTED M5WM-G SERIES - R410A

HEATPUMP MODEL		INDOOR UNIT		M5WM 020GR	M5WM 025GR
		OUTDOOR UNIT		M5HDC 020AR	M5HDC 025AR
NOMINAL COOLING CAPACITY		Btu/h		18300	24300
		W		5363	7122
NOMINAL HEATING CAPACITY		Btu/h		18500	23500
		W		5442	6887
POWER SOURCE		V/Ph/Hz		220 - 240 / 1 / 50	
INDOOR UNIT	UNIT DIMENSION		HEIGHT	mm/in	304 / 12.0
			WIDTH	mm/in	1062 / 41.8
			DEPTH	mm/in	222 / 8.7

### CEILING CONCEALED M5CC-C SERIES - R410A

HEATPUMP MODEL		INDOOR UNIT		M5CC 020CR	M5CC 025CR	
		OUTDOOR UNIT		M5HDC 020AR	M5HDC 025AR	
NOMINAL COOLING CAPACITY		Btu/h		18300	24300	
		W		5360	7120	
NOMINAL HEATING CAPACITY		Btu/h		18500	23500	
		W		5420	6890	
POWER SOURCE		V/Ph/Hz		220 - 240 / 1 / 50		
INDOOR UNIT	UNIT DIMENSION		HEIGHT	mm/in	261 / 10.28	261 / 10.28
			WIDTH	mm/in	1065 / 41.93	1200 / 47.24
			DEPTH	mm/in	411 / 16.18	411 / 16.18

## CEILING CASSETTE M5CK-A SERIES - R410A

HEATPUMP MODEL		INDOOR UNIT		M5CK 020AR	M5CK 025AR	
		OUTDOOR UNIT		M5HDC 020AR	M5HDC 025AR	
NOMINAL COOLING CAPACITY			Btu/h	18700	24500	
			W	5481	7180	
NOMINAL HEATING CAPACITY			Btu/h	18800	23800	
			W	5510	6975	
POWER SOURCE			V/Ph/Hz	220 - 240 / 1 / 50		
INDOOR UNIT	UNIT DIMENSION ( ) - WITH PANEL		HEIGHT	mm/in	335 (363) / 13.2 (14.3)	
			WIDTH	mm/in	820 (930) / 32.2 (36.6)	
			DEPTH	mm/in	820 (930) / 32.2 (36.6)	